



20/20 VISION

ALL-IN-ONE SOLUTIONS

Compatibility Chart



28544 Old Town Front Street #305
Temecula, CA 92590
866.410.2377
canelasoftware.com

Updated: 2018-10-01

20/20 Vision Software Compatibility



	Version 3 September 2008	Version 4 December 2010	Version 5 January 2013	Version 6 July 2017
Mac OS 10.3 (Panther)	✓	✗	✗	✗
Mac OS 10.4 (Tiger)	✓	✓	✗	✗
Mac OS 10.5 (Leopard)	✓	✓	✓	✗
Mac OS 10.6 (Snow Leopard)	✓	✓	✓	✗
Mac OS 10.7 (Lion)	✗	✓	✓	✗
Mac OS 10.8 (Mountain Lion)	✗	✓	✓	✗
Mac OS 10.9 (Mavericks)	✗	✓	✓	✗
Mac OS 10.10 (Yosemite)	✗	⚠	✓	✓
Mac OS 10.11 (El Capitan)	✗	✗	✓	✓
Mac OS 10.12 (Sierra)	✗	✗	✓	✓
Mac OS 10.13 (High Sierra)	✗	✗	✓	✓
Mac OS 10.14 (Mojave)	✗	✗	✓	✓

Note: Windows Embedded, thin clients and VMs are not supported.


- Notes:**
- ✓ Fully compatible under this configuration.
 - ✗ Not compatible under this configuration.
 - ⚠ Minor issues under this configuration.

20/20 Vision Software Compatibility




	Version 3 September 2008	Version 4 December 2010	Version 5 January 2013	Version 6 July 2017
Windows XP	✓	✓	✓	✗
Windows Vista	✓	✓	✓	✗
Windows 7	✓	✓	✓	✓
Windows 8	✗	✓	✓	✓
Windows 8.1	✗	✓	✓	✓
Windows 10	✗	✓	✓	✓

Note: Windows Embedded, thin clients and VMs are not supported.

- Notes:
- ✓ Fully compatible under this configuration.
 - ✗ Not compatible under this configuration.
 -  Minor issues under this configuration.


Remote Control Compatibility

 Apple	Keyspan (white)	Easy Connect (black)
Mac OS 10.4 (Tiger)	✓	✓
Mac OS 10.5 (Leopard)	✓	✓
Mac OS 10.6 (Snow Leopard)	⚠	✓
Mac OS 10.7 (Lion)	⚠	✓
Mac OS 10.8 (Mountain Lion)	⚠	✓
Mac OS 10.9 (Mavericks)	⚠	✓
Mac OS 10.10 (Yosemite)	✗	✓
Mac OS 10.11 (El Capitan)	✗	✓
Mac OS 10.12 (Sierra)	✗	✓
Mac OS 10.13 (High Sierra)	✗	✓
Mac OS 10.14 (Mojave)	✗	✓

Note: Windows Embedded, thin clients and VMs are not supported.

- Notes:
- ✓ Fully compatible under this configuration.
 - ✗ Not compatible under this configuration.
 - ⚠ Minor issues under this configuration.

Remote Control Compatibility

 Windows	Keyspan (white)	Easy Connect (black)
Windows XP	✓	✓
Windows Vista 32-bit	✓	✓
Windows Vista 64-bit	✓	✓
Windows 7 32-bit	⚠	✓
Windows 7 64-bit	✗	✓
Windows 8	✗	✓
Windows 8.1	✗	✓
Windows 10	✗	✓

Note: Windows Embedded, thin clients and VMs are not supported.

- Notes:**
- ✓ Fully compatible under this configuration.
 - ✗ Not compatible under this configuration.
 - ⚠ Minor issues under this configuration.

Hardware Specifications

Memory: 4 GB of RAM minimum

Monitor: One and two monitor systems are supported. Higher resolution monitors will provide a sharper optotype on screen. Larger monitors allow for 5 optotypes on a line more often in longer rooms. They also provide more useful and engaging media experiences. Dual monitors allow for media to be played near the patient as an option and provide options for near testing.

Graphics: We support multi-monitor options. Dedicated graphics card will always provide better performance than integrated solutions.

Internet: Internet access (WiFi or wired) is highly suggested but not required to use the acuity system as a purchase alone. Occasional internet access is required for Monthly/Year Plans, trials, distributor licenses, registration of extras, and EyeMotion subscriptions. We have put a lot of work into making the software internet friendly and savvy. Our auto update system, EyeMotion technology, and System Shield all take advantage of the internet to improve the end user experience. Internet is required for system registration.

CPU: Faster is always better. Core 2 duo systems should be your absolute minimum. We highly recommend the i3 processors from Intel.

USB: The software requires a single USB port for the IR receiver.

Processing Updates and Registration:

Our software needs to access the following domains to process updates and registration:

canelasoftware.com:80

sk.canelasoftware.com:80

If your proxy does package inspection, we read text, .gz and .zip files.